

03500.017986



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
YOSHIKATSU ICHIMURA, ET AL.)	Examiner: J. Zhu
Appl. No.: 10/550,450)	Group Art Unit: 2858
Int'l Filing Date: March 26, 2004)	
371(c) Date: September 26, 2005)	
For: ELECTRIC POTENTIAL MEASURING)	
DEVICE AND IMAGE FORMING)	
APPARATUS)	
U.S. Patent No.: 7,265,554 B2)	
Issued: September 4, 2007)	April 1, 2008

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF
CORRECTION UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.


Accompanying this letter is a check for \$100.00 to cover the statutory fee for such Certificate of Correction.

RECEIVED-USPTO
Patent Publication

APR 04 2008

Patentees' undersigned attorney may be reached in our Costa Mesa,
California office by telephone at (714) 540-8700. All correspondence should continue to
be directed to our address given below.

Respectfully submitted,



Damond E. Vadnais
Attorney for Patentees
Registration No.: 52,310

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200

FCHS_WS 1942999v1

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,265,554 B2

DATED : September 4, 2007

INVENTOR(S) : Ichimura, et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COVER SHEET:

(56) Foreign Patent Documents, "2-07116" should read -- 2-071166 --; and
(57) Abstract, Line 4, "another dielectric" should read -- a dielectric --.

COLUMN 2:

Line 25, "as" should be deleted.

COLUMN 3:

Line 26, "comprises:" should read -- comprising: --.

COLUMN 4:

Line 28, "layer." should read -- layer --; and
Line 31, "electrode" should read -- electrodes --.

COLUMN 6:

Line 54, "hereinafter" should read -- hereinafter --.

COLUMN 7:

Line 30, "slid" should read -- solid --; and
Line 62, "reaches" should read -- reach --.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,265,554 B2

No. of add'l. copies
@ 30¢ per page - USPTO
Publication

APR 04 2008

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,265,554 B2

DATED : September 4, 2007

INVENTOR(S) : Ichimura, et al.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 9:

Line 56, "an electromagnetic" should read -- and an electromagnetic --.

COLUMN 11:

Line 9, "measured to be measured." should read -- measured. --; and

Line 61, "rage" should read -- range --.

COLUMN 12:

Line 55, "1814" should be bolded.

Staple
Here
Only!

PRINTER'S TRIM LINE

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,265,554 B2

No. of add'l. copies
@ 30¢ per page

APR 04 2008

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,265,554 B2

DATED : September 4, 2007

INVENTOR(S) : Ichimura, et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COVER SHEET:

(56) Foreign Patent Documents, "2-07116" should read -- 2-071166 --; and
(57) Abstract, Line 4, "another dielectric" should read -- a dielectric --.

COLUMN 2:

Line 25, "as" should be deleted.

COLUMN 3:

Line 26, "comprises:" should read -- comprising: --.

COLUMN 4:

Line 28, "layer." should read -- layer --; and
Line 31, "electrode" should read -- electrodes --.

COLUMN 6:

Line 54, "hereinafter" should read -- hereinafter --.

COLUMN 7:

Line 30, "slid" should read -- solid --; and
Line 62, "reaches" should read -- reach --.

Staple
Here
Only!

PRINTER'S TRIM LINE

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,265,554 B2

RECEIVED
No. of add'l. copies
@ 30¢ per page

APR 04 2008



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,265,554 B2

DATED : September 4, 2007

INVENTOR(S) : Ichimura, et al.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 9:

Line 56, "an electromagnetic" should read -- and an electromagnetic --.

COLUMN 11:

Line 9, "measured to be measured." should read -- measured. --; and
Line 61, "rage" should read -- range --.

COLUMN 12:

Line 55, "1814" should be bolded.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 7,265,554 B2

No. of add'l. copies
@ 30¢ per page

APR 04 2008
→